2010 E-Z-GO RXV Freedom Executive

THE 'FREEDOM EXECUTIVE'
EXCLUSIVE NEW FEATURES
FOR 2010

The E-Z-GO® Freedom® RXV™ is the premier choice for playing Golf or cruising your neighbourhood. Providing the highest level of safety, durability, reliability and performance, the electric Freedom RXV features an innovative AC Drive system with full time Regenerative Braking, and the Petrol Powered model features the 'best in class' 9.7Kw (13Hp) Kawasaki engine. Your RXV is highly customisable with many options available...

In Australia, for 2010, we are proud to introduce our enhanced "Freedom Executive" model, sporting some special locally produced accessories that will increase your enjoyment of your exclusive RXV ...

EXCELLENCEINMOTION

EZGO®

A Textron Company

2010 E-Z-GO RXV Freedom Executive

SPECIFICATIONS - ELECTRIC MODEL

BODY & CHASSIS	
Frame	Welded steel with DuraShield™ epoxy coating
Body & Finish	Injection moulded TPO
Standard Colours	Forest Green or Ivory (Many to choose from)
DIMENSIONS	
Overall Length	240 cm (94.5 in)
Overall Width	119 cm (47 in)
Overall Height (No Roof)	116 cm (45.7 in) to Top of steering wheel
Overall Height (With Roof)	174 cm (68.5 in) to Top of roof
Wheel Base	167 cm (65.7 in)
Front Wheel Track	90 cm (35.5 in)
Rear Wheel Track	97 cm (38.0 in)
Ground Clearance	11 cm (4.5 in) @ Lowest point of Differential
POWER	
Power Source	48 Volt - DC
Motor Type	48 Volt - AC
Motor Power	3.3 Kw (4.4 Hp) Continuous
Electrical System	48 Volt
Batteries (Qty/Type)	Four, 12 Volt Deep Cycle 120 Ah
Battery Charger	Lightweight 'Delta-Q' Electronic; Wide input voltage range (85 - 265V AC); 860 W Output
Speed Controller	235 Amp AC Controller
Drive Train	Motor Shaft Direct Drive
Transaxle	Limited Slip Differential
Differential Ratio	16.99:1
Gear Selection	By Dash Mounted Key Switch (Ignition Switch)
Accessory Power	25 Amp, DC to DC converter fitted for lighting and optional 12 V Accessories

PERFORMANCE & WEIGHTS	
Seating Capacity (STD)	Two Persons
Dry Weight (No Batt's)	290 Kg (635 Lb)
Kerb Weight	425 Kg (935 Lb)
Vehicle Load Capacity	360 Kg (800 Lb)
Turning Circle	5.8 m (19.2 ft)
Ground Speed (Level)	28 to 31 Km/Hr (17.5 to 19.5 mph)
STEERING AND SUSPENSION	
Steering	Double Ended 'Rack and Pinion'
Front Suspension	Independent A-Arm, Coil over Shock
Rear Suspension	Mono Leaf Spring with hydraulic shocks
Braking System	By Induction Motor EMF
Parking Brake	Fully Automatic Electro Magnetic system
Front & Rear Tyres	Tour Max, 205/50 - 10" (4 Ply Rated)

OTHER STANDARD FEATURES

Energy Transfer Bumpers; Headlights; Tail Lights; Brake Lights; Horn; Ergonomically designed Console with Integrated Cup, Ball and Tee Holders; Deep Lockable Glove Box Storage, Sweater Basket with divided Storage; Fender Scuff Guards & Magnesium 10" Wheels, Front and Rear Wheel Arch Flares, Rubber Floor Mat, Roof Mounted Cargo Net, Passenger Scorecard Holder, Gold Pinstripes - ***See Next Page...***

FRONT VIEW

REAR VIEW

SIDE VIEW

OUR COMMITMENT TO **green**

GREEN FACTORS

- Electric Model features an AC propulsion system with 30% more energy efficiency !
- Petrol Model uses a single cylinder engine for reduced emissions and fuel consumption.
- Foam Seating made from 100% recycled Material.
- Extensive use of *Recyclable* plastic components.
- Efficient design needs less water for cleaning.

2010 E-Z-GO RXV Freedom Executive

SPECIFICATION VARIATION - PETROL MODEL

DIMENSIONS, PERFORMANCE & WEIGHTS	
Ground Clearance	8 cm (3.3 in) @ Lowest point of Differential
Dry Weight (No	316 Kg (697 Lb)
Kerb Weight	339 Kg (747 Lb)
Fuel Capacity	23.5 Litres (6.2 Gallons)
Ground Speed	31 ± 0.8 Km/Hr (19 ± 0.5 mph) On Level Ground
POWER	
Kawasaki Engine	4 Stroke, 401 cc (24.5 cu in) Low emissions
Valve Train	Single Cylinder OHV with Hemispheric
Engine Power	9.7 Kw (13 hp) Exceeds SAE J1940 Standard
Electric System	Starter/Generator, Solid State Regulator
Battery	One 12 V Maintenance Free (500+ CCA)
Air Cleaner	Remote intake, Industrial Rated - Dry Element
Lubrication	Pressurised Oil System
Oil Filter	Screw on Type
Cooling System	Air Cooled - Integrated Cooling Fan
DRIVE TRAIN	
Drive Train (CVT)	Automatic, Continuously Variable Transmission
Gear Selection	Forward Reverse - By Kick Panel Lever
Transaxle	Differential with Helical Gears
Differential Ratio	11.42:1 (Forward) - 15.78:1 (Reverse)
Braking System	Rear Wheel Mechanical, Self Adjusting Drums
Parking Brake	Self Compensating, Single Point Engagement

STANDARD ACCESSORIES ON THE EXCLUSIVE "*EXECUTIVE MODEL*"

WHEEL ARCH FLARES

Fantastic Australian designed, developed and locally made *Front* and *Rear* Wheel Arch Flares.

They give added protection against wheel debris, due to the wider MAG Wheels and Tyres fitted as standard.

HEAVY DUTY RUBBER FLOOR MAT

WOODGRAIN GLOVE BOX

OR

CARBON FIBRE GLOVE BOX

SAND BOTTLE

SCORECARD HOLDER

ROOF MOUNTED CARGO NET

10" MAG WHEEL CHOICES (AS STANDARD)

MOJO (600594)	7-Spoke (600595)	Gold Spoke (600598)

OPTIONAL ACCESSORIES AVAILABLE

DRINKS COOLER (ESKI)

BAG COVER

STRETCH SEAT COVERS

BALL/CLUB WASHER

SAND BUCKET

WEATHER ENCLOSURES



BATTERY FILL SYSTEM

BATTERY FILL BOTTLE

SECURE IMMOBILISER

Augusta Golf Cars are proud to offer many optional accessories, some of which are shown on this page.

We also offer the "Fold Down" Windshields and the "All Weather Enclosures" in a Tinted colour option.

There are also a few variations of "Four Seater" kit available, with or without our exclusive "Roll Over Protection System" or ROPS for short.

FIXED FOUR SEAT KIT - WITH 'ROPS'

FULL CUSTOM PAINT FINISHES

VEHICLE COLOURS AVAILABLE

- IVORY (STANDARD COLOR)
- FOREST GREEN (STANDARD COLOR)
- BRIGHT WHITE
- BLACK
- CEDAR
- ALMOND
- PATRIOT BLUE
- STEEL BLUE
- ELECTRIC BLUE
- FLAME RED
- INFERNO RED
- BURGUNDY

ISO 9001
ISO 14001
BUREAU VERITAS
Certification

For further information on options and accessories available, please contact your nearest Dealer, or Augusta Golf Cars .....

COMMITTED TO green

EZGO®
A Textron Company

Augusta Golf Cars Pty/Ltd

Unit 8, 2 Link Drive, Yatala, QLD, 4207, Australia.
Tel: +61 (0)7 3807-8895 | **Fax**: +61 (0)7 3807-3899

Unit 3, 8 Aquatic Drive, Frenchs Forest, NSW, 2086
Tel: +61 (0)2 9972-7705 | **Fax**: +61 (0)2 9972-7710

399 Lower Dandenong Rd, Dingley Village, VIC, 3172
Tel: +61 (0)3 9558-1211 | **Fax**: +61 (0)3 9558-1311

E-Mail: sales@ezgo.com.au | www.ezgo.com.au